

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/050,134	01/18/2002	Yoichi Asano	Q68111	3810	
7	590 09/29/2004	•	EXAMINER		
SUGHRUE MION, PLLC			YUAN, DAH WEI D		
2100 Pennsylvania Avenue, NW Washington, DC 20037-3213			ART UNIT	PAPER NUMBER	
,			1745		

DATE MAILED: 09/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Applicati	on No.	Applicant(s)	<u>/</u>			
	10/050,1		ASANO ET AL.				
Office Action Summary	Examine		Art Unit				
	Dah-Wei		1745				
The MAILING DATE of this communication Period for Reply	on appears on th	e cover sheet with the					
A SHORTENED STATUTORY PERIOD FOR F	DEDIVIC CET T	O EVDIDE 2 MONTU	(C) EDOM				
THE MAILING DATE OF THIS COMMUNICAT  - Extensions of time may be available under the provisions of 37 ( after SIX (6) MONTHS from the mailing date of this communicat  - If the period for reply specified above is less than thirty (30) days  - If NO period for reply is specified above, the maximum statutory  - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ION. CFR 1.136(a). In no eviction. s, a reply within the stare period will apply and was statute, cause the appropriate the appropriate in the app	ent, however, may a reply be til lutory minimum of thirty (30) day ill expire SIX (6) MONTHS from olication to become ABANDONE	mely filed  ys will be considered timely.  the mailing date of this communication.  TO (35 U.S.C. § 133)				
Status							
1) Responsive to communication(s) filed on	19 July 2004.						
3) Since this application is in condition for a	llowance except	for formal matters, pre	osecution as to the merits is				
closed in accordance with the practice ur	nder <i>Ex parte Qu</i>	<i>ayle</i> , 1935 C.D. 11, 4	53 O.G. 213.				
Disposition of Claims							
4) Claim(s) <u>1,4,5,8,9 and 12</u> is/are pending	in the application	n.					
4a) Of the above claim(s) is/are with	• •						
5)⊠ Claim(s) <u>4,8 and 12</u> is/are allowed.							
6) Claim(s) <u>1,5 and 9</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction a	and/or election r	equirement.					
Application Papers							
9) The specification is objected to by the Exa	aminer.						
10)⊠ The drawing(s) filed on <u>18 January 2002</u> i	s/are: a)⊠ acc	epted or b)⊡ objected	I to by the Examiner.				
Applicant may not request that any objection t		*	` '				
Replacement drawing sheet(s) including the c							
11)☐ The oath or declaration is objected to by the	ne Examiner. No	ote the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for fo	reign priority un	der 35 U.S.C. § 119(a	)-(d) or (f).				
a)⊠ All b)□ Some * c)□ None of:							
1. Certified copies of the priority documents have been received.							
<ul> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage</li> </ul>							
application from the International B			ed in this National Stage				
* See the attached detailed Office action for			ad.				
			· <del>-</del> ·				
Attachment(s)							
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-94)</li> </ol>	8)	4) Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/S		5) Notice of Informal P	atent Application (PTO-152)				
Paper No(s)/Mail Date  S. Patent and Trademark Office		6)					
	ice Action Summa	ry Pa	rt of Paper No./Mail Date 09242004				

Art Unit: 1745

# POLYMER ELECTROLYTE MEMBRANE, METHOD FOR PRODUCING SAME, AND MEMBRANE ELECTRODE ASSEMBLY AND POLYMER ELECTROLYTE FUEL CELL COMPRISING SAME

Examiner: Yuan

S.N. 10/050,134

Art Unit: 1745

September 24, 2004

## Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on July 19, 2004 has been entered. Claims 2,3,6,7,10,11 were cancelled. Claims 1,4,5,8,9,12 were amended.
- 2. The text of those sections of Title 35, U.S.C. code not included in this action can be found in the prior Office Action issued on April 6, 2004.

## Claim Rejections - 35 USC § 102

- 3. The claim rejections under 35 U.S.C. 102(b) as anticipated by Nolte et al. on claims 1,2,5,6,9,10 are withdrawn, because the independent claims 1,5,9 have been amended.
- 4. The claim rejections under 35 U.S.C. 102(e) as anticipated by Helmer-Metzmann et al. on claims 1,2,5,6,9,10 are withdrawn, because the independent claims 1,5,9 have been amended.

•

Art Unit: 1745

#### Claim Rejections - 35 USC § 103

- 5. The claim rejections under 35 U.S.C. 103(a) as unpatentable over Nolte et al. on claims 3,7,11 are withdrawn, because the independent claims 1,5,9 have been amended.
- 6. The claim rejections under 35 U.S.C. 103(a) as unpatentable over Helmer-Metzmann et al. on claims 3,7,11 are withdrawn, because the independent claims 1,5,9 have been amended.

#### Claim Rejections - 35 USC § 102/103

7. Claims 1,5,9 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Nolte et al. (Journal of Membrane Science, 83 (1993) 211-220).

With respect to claim 1, Nolte et al. teach a polymer electrolyte membrane of sulfonated poly(arylene ether sulfones) with various sulfonation levels. Figure 2 shows structure of the polymer membrane having aromatic functional groups. Nolte et al. disclose the conversion of a poly(arylene ether sulfones) into polyelectrolytes (membrane) via functionalization of such polymer in a post-polymerization step. Specifically, the poly(arylene ether sulfone) receives a sulfonation treatment, which comprises a hot water treatment at about 80°C. See Abstract, pages 211-213. Nolte et al. do not specifically disclose the maximum water absorption in a range of 80-300 weight% based on its dry weight before the hot water treatment. However, it is the position of the examiner that such properties are inherent, given that the materials recited in both Nolte et al. and the present application having similar chemistry and chemical structure. A

Art Unit: 1745

reference which is silent about a claimed invention's features is inherently anticipatory if the missing feature is necessarily present in that which is described in the reference. <u>In re</u>

Robertson, 49 USPQ2d 1949 (1999).

It is noted that claims 1,5,9 are product-by-process claims. "Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." In re Thorpe, 777 F. 2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985). Since Nolte's actual polymer electrolyte membrane is similar to that of the Applicant's, Applicant's process is not given patentable weight in this claim.

With respect to claim 5, Nolte et al. further teach the polymer electrode membrane is sandwiched between two electrode/catalyst in a solid polymer fuel cell. See Figure 1.

With respect to claim 9, Nolte et al. further teach the fuel cell comprising end plates (separator plates) in the membrane electrode assembly. See Figure 1.

8. Claims 1,5,9 are rejected under 35 U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Helmer-Metzmann et al. (US 6,096,856) as evidenced by Nolte et al. (Journal of Membrane Science, 83 (1993) 211-220).

With respect to claim 1, Helmer-Metzmann et al. teach a polymer electrolyte membrane of polyarylene sulfide having aromatic units. A chlorosulfonated material is suspended in water

Art Unit: 1745

and the suspension is boiled (a hot water treatment), so that the polyarylene sulfide-sulfonic acid chloride is converted into the polyarylene sulfide-sulfonic acid. See Column 1, Lines 9-61; Column 2, Lines 6-25,64-67. Helmer-Metzmann et al. do not specifically disclose the maximum water absorption in a range of 80-300 weight% based on its dry weight before the hot water treatment. However, it is the position of the examiner that such properties are inherent, given that the materials recited in both Helmer-Metzmann et al. and the present application having similar chemistry and chemical structure. A reference which is silent about a claimed invention's features is inherently anticipatory if the missing feature is necessarily present in that which is described in the reference. In re Robertson, 49 USPQ2d 1949 (1999).

It is noted that claims 1,5,9 are product-by-process claims. "Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." In re Thorpe, 777 F. 2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985). Since Helmer-Metzmann's actual polymer electrolyte membrane is similar to that of the Applicant's, Applicant's process is not given patentable weight in this claim.

With respect to claim 5,9, Helmer-Metzmann et al. further teach the polymer electrode membrane can be used in electrochemical cells, in particular in fuel cells and electrolysis cells. See Column 3, Lines 18-31. The fuel cells inherently comprise electrode and separator plates as evidenced by Nolte et al. See Figure 1.

Page 5 of 8

Application/Control Number: 10/050,134

Art Unit: 1745

### Allowable Subject Matter

9. Claims 4,8,12 are allowed. The following is a statement of reasons for the indication of allowable subject matter: The invention of independent claims 4,8,12 recites a polymer electrolyte membrane obtained by subjecting an ion-conducting, aromatic polymer membrane to a hot-water treatment, wherein said ion-conducting, aromatic polymer membrane is a sulfonated polyarylene membrane, and wherein the sulfonated polyarylene is a sulfonated arylene copolymer obtained by introducing a sulfonic group into a side chain of a copolymer comprising 30-95 mol % of a first aromatic monomer unit represented by a chemical formula (1) and 70-5 mol% of a second aromatic monomer unit represented by the chemical formula (2). The closest prior arts of record, Helmer-Metzmann et al. and Nolte et al., do not disclose or suggest. the polymer comprising 30-95 mol% of a first aromatic monomer unit represented by the chemical formula (1) and 70-5 mol% of a second aromatic monomer unit represented by the chemical formula (2) as stated in the claim.

#### Response to Arguments

10. Applicant's arguments filed on July 19, 2004 have been fully considered but they are not persuasive.

Applicant's principle arguments are

(a) Nolte describes a process for purifying a raw sulfonated poly(arylene ether sulfone), which is not in a membrane form;

Art Unit: 1745

- (b) inherency is not supportive of obviousness (albeit it might be supportive of anticipation);
- (c) the properties of the sulfonated poly(arylene ether sulfones) of Nolte are inherently different from those of the sulfonated polyarylenes of the present invention;.
- (d) Helmer-Metzmann does not suggest to one of ordinary skill in the art a hot water treatment by subjecting a sulfonated polyarylene membrane in hot water.

In response to Applicant's arguments, please consider the following comments.

- (a) Nolte teach the use of a sulfonated poly(arylene ether sulfone) as a proton conducting membrane material. The hot water treatment is one of the processing steps that lead to the formation of a polymer electrolyte membrane. Examiner agrees with the statement by the Applicant that the hot water treatment is carried out before the membrane is cast. However, no clear distinctions can be drawn from materials that are subjected to hot water treatment before and after the formation of membrane. Applicant is encouraged to submitted additional information to substantiate his position;
- (b) The express, implicit, and inherent disclosures of a prior art reference may be relied upon in the rejection of claims under 35 U.S.C. 102 or 103. "The inherent teaching of a prior art reference, a question of fact, arises both in the context of anticipation and obviousness." In re Napier, 55 F.3d 610, 613, 34 USPQ2d 1782, 1784 (Fed. Cir.1995) (affirmed a 35 U.S.C. 103 rejection based in part on inherent disclosure in one of the references). See also In re Grasselli, 713 F.2d 731, 739, 218 USPQ 769, 775 (Fed. Cir. 1983). See MPEP 2112;

Page 7 of 8

Application/Control Number: 10/050,134

Art Unit: 1745

(c) the goal of Nolte is to develop a technique to crosslink the sulfonated poly(arylene ether sulfone) electrolytes during membrane processing in order to substantially reduce water swelling without impairing other membrane properties such as proton conductivity. See Abstract. Evidently, the sulfonation of the ion-conducting, aromatic polymer of Nolte would qualify it as a membrane for use in a fuel cell;

(d) Helmer-Metzmann et al. teach the sulfonated polyarylene sulfide prepared by the disclosed process, including a hot water treatment, can be used as a membrane in electrochemical cells. The polymer molecules in the membrane have been subjected to a hot water treatment in the manufacturing history.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dah-Wei D. Yuan whose telephone number is (571) 272-1295. The examiner can normally be reached on Monday-Friday (8:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan, can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 1745

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dah-Wei D. Yuan September 27, 2004 Delive /